

- (1) The dramatic useful effects that are extended to many fields by water and air.
- (2) A technical field

About effect for water and the air by the use technology of a "Special synthetic magnetic field",

- (3) The effects of water and air are explained by the use technology of a "Special synthetic magnetic field" as follows.

- (a) According to water and air by the use technology of a "Special synthetic magnetic field", the expansion of the conventional environmental pollution with various kinds of chemical drugs can be surely effectively restricted and can be surely improved greatly by totally new characteristic change from new physical different view point fundamentally.

- (b) The oxidation function caused by kinetic energy of oxygen molecule by the magnetism that occurred by being induced to oxygen atom by electromagnetic induction, is basically physically totally different from the oxidation function of the conventional oxygen molecule.

- (c) Without dangerous ozone and ultraviolet ray and radiation, only by water by the use technology of a "Special synthetic magnetic field" and air the vitality of anaerobic bacteria (or creature) is selectively automatically restrained and the vitality of aerobic bacteria (or creature) is increased greatly electively automatically by contraries at the same.

- (3-1) About a dramatic decline of the oxidation-reduction potential (ORP) of a water, Section 3 in "The details of Chapter 3",

- (a) About the data of variations in oxidation-reduction potential (ORP) by the water by the use technology of a "Special synthetic magnetic field" with a "Trans-master" device,

- (a-1) When a "Special synthetic magnetic field" is cut by the water with the most

effective speed, oxidation-reduction potential (ORP) of the water abnormally is decreased inconceivably by the "Trans-master" device that was constituted by an alternating current electromagnet.

- (b) About test data of oxidation-reduction potential (ORP) of the water
 - (b-1) After a "Trans-master" device is moved for one hour continuously and is stopped, at the elapsing time the variations of oxidation-reduction potential (ORP) of the water are checked each.
 - (b-2) Just after stopping of a "Trans-master" device, : 587mv
 The elapsed time after the stop : 27 minutes and 14 hours : 200mv
 The elapsed time after the stop : 34 minutes and 65 hours : 180mv
 - (b-3) According to the test data of the water mentioned above by the use technology of a "Special synthetic magnetic field", a numerical value of 180mv in oxidation-reduction potential (ORP) of the water is the numerical value that does not exist about the conventional water.
- (3-2) About the environmental improvement by the water and the air by the use technology of a "Special synthetic magnetic field",
 Section 4 in "The details of Chapter 3"
 - (a) The environmental pollution with conventional chemical drugs can be prevented by the characteristic change that is physically dramatically different from conventional characteristic by a water or the air by the use technology of a "Special synthetic magnetic field".
 - (a-1) About the effect to "Sick-house" of an "Electromagnetic air cleaner,
 - (a-2) By the air of the use technology of a "Special synthetic magnetic field" the smell of harmful chemical synthetic material is deodorized.
 - (a-3) The gasses that have strong dangerous irritant smells that occur from insecticide and antiseptic and adhesives such as formalin and cresol and

toluene and thinner, are resolved, and are removed with the air by the use technology of a "Special synthetic magnetic field".

(3-3) About the test of the sterilization effect on general bacteria of the tap water by a "Trans-master" device,
Section 5 in "The details of Chapter 3"

(a) When a "Trans-master" device was not used in water supply, the number of general bacteria was 24 pieces/ml, and when a "Trans-master" device was used in water supply, the number of general bacteria was decreased to 2 pieces/ml.

But the passage number of times to a "Trans-master" device mentioned above was one time each.

(3-4) When a water by the use technology of a "Special synthetic magnetic field" is used for concrete,
Section 6 in "The details of Chapter 3"

(a) Particularly, the strength of concrete can be increased by being used as the water of the concrete that viscosity of the water was dramatically decreased by a "Trans-master" device, and similarly, a life span of concrete can be prolonged, and similarly, the construction period for concrete can be shortened by an increase of solidification speed of concrete, and similarly, a "Drug to decrease water" for conversion products of the concrete can be decreased or can be omitted completely.

(3-5) About a characteristic and the effect of an "Electromagnetic air cleaner" with the air by the use technology of a "Special synthetic magnetic field",
Section 12 in "The details of Chapter 3"

(a) The smell of harmful chemosynthetic materials is deodorized by the air of the use technology of a "Special synthetic magnetic field", and as a result the neighboring environment is detoxified.

(a-1) For example, specifically from the test results of Section 12 in "The

details of Chapter 3", the strong dangerous irritating smell of formalin or cresol or toluene or thinner caused by the drug such as an insecticide or disinfectant or adhesive or disinfectant, can be removed by the air by the use technology of a "Special synthetic magnetic field".

- (3-6) About an effective use of an organic waste
- (a) For example, ethanol from organic waste can be produced by a simple system cheaply by the water or the air by the use technology of a "Special synthetic magnetic field".
 - (b) When food left-over of the organic waste was left in air by the use technology of a "Special synthetic magnetic field", after 24 hours, the rotten smells of the fishes and of vegetables in the food left-over were completely lost, and only the sweet fragrance of a "Shoyu source" is generated and drifted in the air.
- (3-7) The water by the use technology of a "Special synthetic magnetic field" is used to the water of the field of agriculture.
- (a) The water by the use technology of "the special synthetic magnetic field" is used for growth of the farm products further, for maintenance of the freshness of farm products and for prevention of spoilage of farm products and for prevention of the corrosion of the liquid fertilizer for water culture.
- (3-8) The water by the use technology of a "Special synthetic magnetic field" is used in a field of the fish farming.
- (a) Conventional fish and crustacean grows early and becomes far big and a period for egg-laying becomes short, and further the contamination of the water caused by the bait that remained underwater is prevented.
- (3-9) A slime and the algae of anaerobes, or the materials fastened such as the rust which attached inside of the drain pipe are removed from the inner wall of the drain pipe by the water by a "Trans-master" device.

- (a) the obstacle of the all local drainage connected in the drainage conduit of the water used for life of people is eliminated and the system of the overall local drainage is always maintained normally.
- (3-10) When the cooling circulating water that antiseptic materials for the air conditioner of the architectural structure was mixed is cooled in cooling tower, the neighboring atmospheric environment is polluted because the harmful cooling circulating water is scattered in the air.
- (a) In the case mentioned above. though antiseptic materials is not used for cooling circulating water, by using water with the "trans master" appliance the environmental pollution to the air by the dispersion cooling circulating water in the cooling tower can be completely prevented.
- (3-11) About the dramatic characteristic change with the water by a "Trans-master" device that revived natural environment of the water of the pond of a temple that natural environment was polluted and was destroyed already,
- (a) In accordance with increasing quantity of the water that passed through a "Trans-master" device as for the water of the pond that the environment of nature was already destroyed, the bad smell of the pond by the sludge disappeared, and a Microcyst sank down to the bottom of the pond and became brown and perished, and as a result the water regained clearness and the environment of nature of the pond was recovered after one month approximately.
- (3-12) After the effect by an "E-oiler" was stopped and when around one week passed, on the surface of the water that rice was washed and was left as is, any mildew did not be generated and on the contrary, mellow fragrance of liquor occurred.
- (3-13) By the water and the air by the use technology of a "Special synthetic magnetic field", the larval of mosquito causing the epidemic can be gotten rid with safety for environment easily cheaply without exception .
- (3-14) Particularly, the spread of infections caused by anaerobic bacteria

(a creature and a cell) such as foot-and-mouth disease and such as bird flu of domestic animals infected caused by water and air, may be effectively cheaply restrained.

- (a) Therefore, it is considered that can get epoch-making big hygienic protective efficacy in the conventional living environment of all animals and plants by using a water and the air by the use technology of a "Special synthetic magnetic field".

(3-15) According to the water by the use technology of a "Special synthetic magnetic field", the printable electronic board and the precision component and the electronic parts that do not depend on harmful medicines such as chloro-ethylene and trichloroethylene can be washed down cleanly perfectly.

(3-16) In a dye house, calcium in dye water in dye tank invades to rotating part of the expensive ball bearing that is made by stainless steel by the Japanese Industrial Standard, and the calcium invaded is crystallized in the rotating part, and as a result an ability of the rotating part of the ball bearing is broken down.

- (a) A "Trans-master" device is practically being used as regenerative device of the rotating part of expensive ball bearing that broke down already in a dye house.

(3-17) About the effect of human body by water and the air by the use technology of a "special synthetic magnetic field,"

- (a) Because hot water by the use technology of a "Special synthetic magnetic field" in a bathtub can penetrate into every microscopic air gaps of the surface of human body that conventional hot water cannot penetrate absolutely, the contacting area of the surfaces of human body with hot warm water in a bathtub is increased greatly and as a result, the health effect of human body by being warmed more is very remarkable.

- (b) Though deodorization of the irritating smells generated in the inside of

storehouses of drugs of synthetic drug maker is clearly impossible by any conventional deodorant device, according to an "Electromagnetic air cleaner" by the use technology of a "Special synthetic magnetic field", the deodorization mentioned above could be deodorized certainly completely.

- (c) It was proved that deodorization ability by the air by the use technology of a "Special synthetic magnetic field" was a deodorization ability by the physically different characteristic change in air that is not thought by a technology and the science about the conventional deodorization by an example (b) of item (3-17) mentioned above.

The new use technology of a "Special synthesis magnetic field" that are naturally judged from the test consequence and the effect that were already carried out in "The details of Chapter (3)" are explained as follows.

- (4) About the effect for the medical care by water and the air by the use technology of a "Special synthetic magnetic field",
Section 4 in "The details in Chapter 3"
- (a) By the tests in the "The details of Chapter 3", according to the water and the air by the use technology of a "Special synthetic magnetic field", it was made clear that an aerobic bacteria (a creature) was brought up greatly selectively automatically and anaerobic bacteria (a creature) was restrained strictly selectively automatically at the same time.
- (b) Therefore, according to a water and the air by the use technology of a "Special synthetic magnetic field", because the medical effect by the electronic energy by the magnetism is different basically physically from the effect of radiation energy that is a conventional medical technology, the medical care effect is different from the conventional medical care effect fundamentally .
- (c) By the test result mentioned above, according to the water and the air by the use technology of a "Special synthetic magnetic field", the disease germ

belonging to anaerobic bacteria is restrained and is sterilized selectively automatically, on the contrary, in parallel with sterilization of the disease germ, the normal cells are nurtured greatly selectively automatically at the same time and therefore a new inconceivable restoration power from the disease may be given.

- (d) By the way, according to the water and the air by the use technology of a "Special synthetic magnetic field", as for the medical effect to disease germ by the high electronic energy by the magnetism that was induced by electromagnetic induction to the atom physically, it is thought that medical effect by the electronic energy caused by variation in atom is always unchangeable basically even if the disease germ caused by chemical variation of molecular structure (DNA) by a mere accident, is generated.
 - (e) On the other hands, according to the present medical technology because the medical drug which can destroy the cell of disease-causing germs basically adversely affects the normal cell as a side effect in the conventional medical technique at the same time, effective usage of the medicine against disease-causing germs is always treated by specialized medical knowledge and experience in particular.
 - (f) Therefore, because the ill-defined disease caused by the bacteria or the virus that effective therapeutic method and medicine are not yet established, is often generated now in the world wide, the new revolutionary medical technology mentioned above may demonstrate the dramatic medical care effect being different from the conventional medical technology inconceivably.
- (5) The reference literature in the use technology of a "Special synthesis magnetic field" ; "The details of Chapter 3"

End

〒929-1171

Address : Ni-160-2, Kizu, Kahoku-City, Ishikaw-Pref., Japan

Name : Tatsuo Komedashi : Inventor and Developer of the use technology of a
"Special synthetic magnetic field"

Mail : wxdxn7493000@ybb.ne.jp

Home Page : URL : <http://www.vzporization-energy.com/>